

# **FRAGILE WORLD FOUNDATION**

Saving mankind through strategic measures against extreme global hazards

2017



Fragile 2017

## **EXECUTIVE SUMMARY**

- The world is in danger from natural hazards
  - NEO: Near earth object impact → More probable than being killed in a plane crash
  - VIRUS: New and emerging microbial pathogens (viruses, bacteria)
  - GEO: Natural catastrophes, resulting from plate tectonics (e.g., volcanic eruptions or earthquakes, generating large tsunamis)
- The FRAGILE WORLD FOUNDATION, FRAGILE or FWF represents a "fire-insurance" for humankind – fire is unlikely but it makes a lot of sense to be insured. However, the premium needs to be invested into prevention. Because after a "total loss" non-replacement is possible.
- Fighting terror is a prevention attempt with high means on low probability events similar to FRAGILE topics, the latter with little means (yet).
- The probabilities of counter measures against these three sources of danger are related to each other, as demonstrated by non-linear dynamic studies.
- A team of worldwide leading scientists and experts is supporting the Foundation. FRAGILE will build on the research of all institutes involved and act as a synergy point and project leader for developing and implementing prevention strategies.



FRAGILE - an "insurance" to prevent global natural disasters

## **VISION OF FRAGILE WORLD FOUNDATION**

- Focus on global abrupt catastrophes involving dangers impacting the lives of millions or even the existence of mankind
- Provide a synergy point for collecting and co-ordinate research of affiliated institutes in the selected threat areas
- Initiate missing new research and develop prevention measures
- Finance, e.g. with a minute fraction of a small part of the world's defence budgets.
- Prevent global catastrophic events to enable mankind to react to
  - Near Earth Object Impacts (NEO)
  - Fatal microbial epidemic (virus)
  - Devastating earthquakes/tsunamis/volcanos (quake)
- Identify new global threat areas




Prevention is as good as it can use lead time



FRAGIL

## TO SHED LIGHT ON THE 4 BINDSPOTS OF SOCIETY

- Reaction overrides Prevention
- Short term overrides Long term
- Central Power overrides Coordination
- Creating knowledge overrides applying knowledge if it is not yet generating profit nor attracting voters e.g. NEO deflection?





## PETER SLOTERDIJK: "Spheres-Trilogy "


- With Copernicus' heliocentricity begins a series of exploratory forays into the deserted outside, lost to the inhumanly far distant galaxies and the spookiest components of matter.
- Through exploration and realisation does man become the idiot of the cosmos; he has sent himself into exile and expatriated himself from the immemorial security of his self-spun cocoon of illusion, futility, non-relevance, and self-obsession.
- With the illusion of the central position of his homeland in the Universe that the imagination comfortably takes, the Earth is encased in spherical shells like warm celestial cloaks.

expatriated from the security of his self-spun cocoon of illusion



### **FRAGILE'S FOCUS**

FRAGILE WORLD FOUNDATION is using the research of the dedicated institutes for NEOs, GEOs, Virus in order to create the vital synergies between these areas to safe lives and develop risk reduction strategies




Existing Institutes



## FRAGILE'S LIFE SAVER LEVERS CUT ACROSS

The warning/prevention/preparedness instruments of saving lives are very similar across all danger zones






Fragile 2017

## FRAGILE WORLD FOUNDATION'S POSITIONING


 FRAGILE is a private initiative combining warning, prevention and preparedness to save lives after mega event





### FRAGILE WORLD FOUNDATION'S DISASTER SEGMENTATION

FRAGILE differentiates from others in two ways: focus on abrupt occurring mega events with more the 250.000 lives in danger






Fragile 2017

% of Mankind at Risk

## ONE IMPORTANT LESSON LEARNED FROM THE 2004 TSUNAMI

- The earth quake was measured precisely at 00:58:53 by the USGS
- 2004 December 26 00:58:53 UTC US-GS NEIC (WDCS-D)
- A few hours before the wave hit the coasts
- Magnitude 9.0 Sumatra-Andaman Island (West Coast of Northern Sumatra)





Fragile 2017

Although simple, it was not possible to inform 40 countries in real time about the danger. The technology existed - but the coordination and communication lagged to save 300.000 lives

# CHAOS BEGINS WHEN THE CATASTROPHE IS INEVITABLE

- Our legal, ethic and moral system base is in essence on a fixed-term contract: "if you do this today, that's what will happen to you tomorrow".
- What will happen to our society if it looks as if there will be no tomorrow?
- Chaos and anarchy will reign if e.g. a NEO impact is predicted for the near future leading to a total "write-off".
- This can only be prevented by providing mankind with a perspective beyond the prediction time.
- FRAGILE offers a future and solid hope that a solution can be found in such a situation. This already helps prevent chaos early on at the moment of disaster prediction.
- Preventing chaos is a necessary focus of FRAGILE even if the prediction is proved to be wrong



FRAGILE provides a perspective for a solution and **prevents chaos** from arising long before the (right or wrong) impact prediction date

## A JOINT GLOBAL PERSPECTIVE

- Many local conflicts become irrelevant if a distant danger of larger magnitudes would be approaching. The existence of an institute like FRAGILE would make mankind more conscious about these global catastrophes and that by working together solution to avoid could be developed.
- Imagine: the 2nd world war might have ended in 1941 if a devastating, civilisation ending NEO impact would have been predicted e.g. for 1942
- The more minds share the perspective about our vulnerable "spaceship" earth and help to keep ît afloat (in one piece), the better for the world and "the world will become a better place".




A joint global cause might make the world also more peaceful



### THE BIOSPHERE IS ONLY LIKE THE PAIL OF AN APPLE OR LIKE THE CONDENSATION FILM ON A COLD POOLBALL

If the volume of the biosphere – where all live (and all pollution) actually happens – would be reduced into a sphere it would translate into our "real sized world" of only 1% of the volume of the Earth



FRAGILE

# THREE MOST EARTH CHALLENGING NATURAL DANGERS

FRAGILE WORLD FOUNDATION will initially focus on three major natural catastrophes for mankind:

### VIRUS, GEO & NEO

- Weather is also a threat with a view to global warming, but the impact will not be as abrupt
- The world's societies face a number of other threats which are not dealt with by FRAGILE such as:

•war

•terror attacks	<ul> <li>pollution</li> </ul>
•global economic crisis	<ul> <li>hunger</li> </ul>
<ul> <li>energy shortage</li> </ul>	•Ozone
<ul> <li>water shortage</li> </ul>	•CO2



## OTHER SYNERGIES IN CATASTROPHE PREPAREDNESS

- Coordinated research and interaction is inspiring all the fields
- Political implications are similar
- Networking the countries is required in all cases
- Prevention strategies against chaos and
- Project plans are related: evacuation plans, food supplies, shelter constructions
- International effective communication structures in the case of sudden break out or impact are similar – i.e. was unfortunately not in place at the Tsunami catastrophe
- Other measures

FRAGILE


Fragile 2017



Early preparation could protect the lives of billions

### NON-LINEAR DYNAMICS: RELATED THREATS – e.g. NEO CASUALTY RISK IS HIGHER THAN BEING KILLED IN A PLANE CRASH<sup>1)</sup>

- A common aspect of NEO-, GEO- Virus-, and events is the mathematical description
- Far from equilibrium these systems follow similar global patterns of non-linear dynamics



#### Predictions of non-linear dynamics:


- Small, local events occur frequently
- Large, global events are unlikely.
   But they can happen anytime
- Outside of a short time window the occurrence of an event is unpredictable

### Small events occur frequently. Big events are unlikely, but they can happen anytime!






# ASTEROID RESEARCH – ONE THIRD NOT YET DISCOVERED






## NEAR EARTH OBJECTS – CIRCLING IN AN ALMOST FLAT AREA, INCREASINGLY ELLIPTICAL

- The simulation shows orbits of identified asteroids circling in a 1/300 flat "discus" with elliptical trajectories
- There is a 1/700 chance of a 300m impact (1000 MT) in the next century



300





## DR. CLARK CHAPMAN

Email to the FRAGILE WORLD FOUNDATION team, July 2005

- "For a large NEO (say >1 km), it is ten times more likely that we will have "decades" of advance warning rather than only "years". For this reason, some people argue that we should do nothing (other than search for dangerous NEOs) until an actual threat is known.
- On the other hand, there is a "chance" that a moderate or large NEO will be discovered and might impact only a decade or two from now. In that case, we would be better off to have made advance preparations - studied the nature of NEOs, studied possible technologies for deflecting NEOs, perhaps even practised deflecting NEOs, studied warning systems/evacuation procedures/on-the-ground mitigations (and especially how those required for NEOs differ from those in place for other kinds of disasters)..."

#### Curriculum Vitae

Dr. Clark R. Chapman is an Institute Scientist at the Boulder, Colorado, office of Southwest Institute Research. He is also an Adjunct Professor in the APS Dept. at the University of Colorado (Boulder). In the early 90s, he was the first Editor of *Journal of Geophysical Research--Planets*. He is a member of the Imaging Team of the Galileo mission to Jupiter, currently still orbiting in the Jupiter system. He is also a member of the MSI/NIS (imaging/spectrometer) Team of the Near Earth Asteroid Rendezvous (NEAR) mission to Eros, which was launched in February 1996, went into orbit around Eros on Valentine's Day, 2000, and successfully landed on the surface of Eros on Feb. 12, 2001.




## **EXPONENTIAL VIRUS SPREAD:** "Dark Winter" Exercise

Smallpox outbreak in Oklahoma city. Accidental or intentional release of virus.


Cases reported December 9 2001: Total



Cases reported December 22: Total=16,000



 Cases reported December 15: Total=2,000



Projected epidemic:

Jan 20 – 300,000 cases, 100,000 deaths Feb 6 – 3,000,000 cases, 1,000,000 deaths



Fragile 2017

## **EXPONENTIAL EFFECTS**

A pond with a water lily. This lily will reproduce itself once a day. After 180 days half the pond is covered with water lilies. In how many day the whole pond will be covered completely?



Water Lilies III by Claude Monet


One more day!

In only one day the cumulated historic development could be replicated



## EXPONENTIAL VIRUS SPREAD (II)

This image shows the distribution of states infected (90%) in another simulation 60 days after break out – this will translate into a 90% of nation number through flight routes






Fragile 2017

The 1918/19 influenza killed 30-50m – today such a virus would kill up to 100m because of flight routes and population growth

## WORLD WIDE TRANSMISSION THROUGH FLIGHT ROUTES

An outbreak cannot be contained locally






Following the SARS outbreak, exposed persons at risk could be traced by using flight seating data – which were only accidentally stored. **Simple data storage procedures may have a major impact** 

# THE WORLD JUST WITNESSED THE POWER OF TSUNAMIS

- Earthquakes leading to tsunamis A significant fraction of the world population of 6.5 billion people live close to coastlines
- Tsunamis are expected to be common outcomes of both NEOs and GEOs
- "Tsunamis" from Hurricanes show that even the first world is unprepared: Katrina/New Orleans

Tsunami after seaquake off the West coast of Sumatra, Dec. 26, 2004

- 283,000 killed
- 1.1 million displaced
- damage approx.
- € 10 000 000 000 000




December 26, 2004: Tsunami hits Thailand



## **VOLCANIC ACTIVITIES HAVE A GLOBAL DIMENSION**

- The Geological Society: "There are certain natural events which can have major adverse global effects, may seriously threaten the stability of the world economy and order, and could well threaten the lives of billions of people.
- NEO Impacts and eruptions from super-volcanoes are the two prime examples of such potentially disastrous natural events."

#### Global volcano program



#### Lake Toba



#### Mount St. Helens







The lake Toba eruption 75000 years ago diminished the world population to 5-10 k only – **extremely close to the extinction of mankind** 

## LEAD TIME IS THE KEY TO PREVENTION

- Example of NEO prevention: ample lead time is necessary
  - Asteroid 2004 MN4 (Apophis), 320 m diameter, 15-20 km/sec, will approach Earth April 13, 2029 within 1/10 of the lunar distance (LD)
  - FRAGILE projects could explore mechanisms to either destroy meterorites (e.g. melting with large mirrors, reflecting sunlight) or to deflect them from Earth-crossing orbits.
- Killer virus prevention: timely research and prevention is the key
  - The next influenza pandemic will kill around 100 million people worldwide, even when appropriate disease control is in place.
  - New, deadly microbes such as the Aids and Sars viruses may emerge any time. The combination of rapid spread (like influenza) and lack of counter-measures (like Sars) could seal the fate of mankind.
  - With the timely development of anti-viral drugs and vaccines, these fatal threats can be converted to manageable situations.
- Geological disaster prevention: lead time is necessary
  - MoD support will enable more measurement points -> better prediction



Concrete prevention strategies are the only method to reduce the risks from latent global natural catastrophes and their preceding chaos

## SOUNDING BOARD of FRAGILE WORLD FOUNDATION

- Steffen Bastian
  Fragile Board Human Care Association
- Prof. Andreas Burkert NEO Chairing Computational Astrophysics, University of Munich Founder Qiagen Dr. Metin Colpan Budget Dr. Helmut Hetznecker Investigation Co-Author Fragile World book GEO Prof. Heiner Igel Director Department of Earth Sciences - Geophysics, University of Munich VIR Max-Planck-Institut für Prof. Wolfgang Neubert **Biochemie** Dipl.Ing. Philipp Schoeller Fragile World Member of the Club or Rome (German Section), Founder General Capital Group Gregor Woeltje Marketing ex-Chairman .start GmbH, Munich

